



SWIFT



2022 SPORT RANGE

SUSSEX SPECIAL EDITIONS BY SWIFT CARAVANS



EXCLUSIVE FEATURES

- ATC (Active trailer control)
- 100W solar panel
- Exclusive soft furnishing scheme
- Exclusive graphic scheme
- Key fob operated alarm and awning light
- External 230V mains socket
- External BBQ point
- External access door to front nearside
- Exterior door with window and bin
- Rain guards
- Luxury Scatter Cushions
- Horrex four sided window blinds
- Unique design logo on lounge mirror
- Unique embroidered door way mat with logo
- Chrome grab handles
- Full width curtains



SPORT TECHNICAL

Weights: The masses are calculated in accordance to EU regulation 1230/2012 and NCC code of practice 304.

The Mass in running order (MRO) comprises:

1. The mass of the empty caravan as supplied by swift including loose items such as hook-up cable kit bag, entrance step, manuals etc
2. 10kg allowance for LPG

The MRO is calculated with the fresh water tank, toilet flush tank and water heater empty. If you travel with the water in the fresh water tank, toilet flush tank and the water heater the payload will reduce accordingly.

The personal effects is based on the number of berths and the length of the caravan and includes an allowance of 20kg for the leisure battery. The maximum technical permitted laden mass (MTPLM) is the maximum mass allowed when the caravan is fully laden.

WARNING: Under no circumstances should the MTPLM be exceeded.

Please note: Any dealer fit options will reduce the overall payload available to the user of the caravan.

If you require additional payload it is possible to upgrade the MTPLM to the upper limit. Please contact your Swift caravan dealer for more information.



Bed sizes: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

Awning sizes: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

*The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.


Customers should verify the actual dimensions of their touring caravan before committing to anything that could impact by these dimensions.

LED Road Lights: Certain vehicles may require a secondary fuse box when towing models fitted with LED road lighting.



Model	Ashurst Sport	Chilgrove Sport	Goodwood Sport
Berths	2	2	4
Number of Axles	1	1	1
Internal length (at bed box height)	3.66m / 12'0	4.34m / 14'3	4.74m / 15'7
Overall Width*	2.03m / 6'8	2.25m / 7'5	2.25m / 7'5
Overall Height (inc. TV Aerial)*	2.59m / 8'6	2.59m / 8'6	2.59m / 8'6
Maximum Internal Headroom	1.95m / 6'5	1.95m / 6'5	1.95m / 6'5
Overall Length*	5.37m / 17'7	6.05m / 19'10	6.45m / 21'2
Awning A/A Dimension	7.95m / 26'1	8.59m / 28'2	8.99m / 29'6
Mass in Running Order (inc. tolerance)	995kg / 19.5cwt	1112kg / 21.9cwt *	1154kg / 22.7cwt *
Maximum Technical Permissible Laden Mass	1109kg / 21.7cwt	1233kg / 24.3cwt *	1300kg / 25.6cwt *
Total User Payload	114kg / 2.2cwt	121kg / 2.4cwt *	146kg / 2.9cwt *
Personal Effects Payload	114kg / 2.2cwt	121kg / 2.4cwt *	146kg / 2.9cwt *
Tyre Size	185 R14C 102Q *	185 R14C 102Q *	185 R14C 102Q *
Thermal Insulation Grade	THREE	THREE	THREE

* Estimated weights



Model	Findon Sport	Amberley Sport	Washington Sport
Berths	4	4	6
Number of Axles	1	1	1
Internal length (at bed box height)	5.83m / 19'2	5.83m / 19'2	5.83m / 19'2
Overall Width*	2.25m / 7'5	2.25m / 7'5	2.25m / 7'5
Overall Height (inc. TV Aerial)*	2.59m / 8'6	2.59m / 8'6	2.59m / 8'6
Maximum Internal Headroom	1.95m / 6'5	1.95m / 6'5	1.95m / 6'5
Overall Length*	7.54m / 24'9	7.54m / 24'9	7.54m / 24'9
Awning A/A Dimension	10.08m / 33'1	10.08m / 33'1	10.08m / 33'1
Mass in Running Order (inc. tolerance)	1306kg / 25.7cwt *	1344kg / 26.5cwt	1374kg / 27.0cwt *
Maximum Technical Permissible Laden Mass	1462kg / 28.8cwt *	1500kg / 29.5cwt	1550kg / 30.5cwt *
Total User Payload	156kg / 3.1cwt *	156kg / 3.1cwt	176kg / 3.5cwt *
Personal Effects Payload	156kg / 3.1cwt *	156kg / 3.1cwt	176kg / 3.5cwt *
Tyre Size	185 R14C 102Q	185 R14C 102Q	185 R14C 102Q
Thermal Insulation Grade	THREE	THREE	THREE



* Estimated weights